



DOI: **10.5958/2249-7137.2021.01989.3**

CUCUMBER PERONOSPOROSIS DISEASE

Qudrat Norqul ugli Sattarov*; **Fozil Muhammadievich Boyjigitov****;
Zafar Abdishukurovich Umarov***

*Base doctoral student,
Plant Protection Research Institute, Tashkent, UZBEKISTAN
Email id: q.sattarov91@mail.ru

**Senior Researcher,
Candidate of agricultural sciences, Research Institute of Horticulture,
Viticulture and Enology named after Academician M.Mirzaev,
UZBEKISTAN

***Senior Research Fellow,
Doctor of Philosophy in Agricultural Sciences, Research Institute of Horticulture,
Viticulture and Enology named after Academician M.Mirzaev,
Tashkent, UZBEKISTAN
Email id: fboyjigitov80@mail.ru

ABSTRACT

Peronosporosis, which occurs in cucumber plants, is one of the most dangerous diseases, causing significant damage to the quality and quantity of the harvest. Chemical control measures are effective in timely protection of cucumbers from peronosporosis. Several drugs against this disease have been tested at different consumption rates. As a result, Score 250 em.k. (0.2 l / ha) and Fundazol 50% n.kuk. (1.0 kg / ha) Biological efficiency was achieved in the variants using fungicides up to 91.1%. In the protection of cucumber plant from peronosporosis disease Score 250 em.k. (0.2 l / ha) and Fundazol 50% n.kuk. (1.0 l / ha) has been proven to produce high and quality crops from the plant by applying fungicides in the morning or evening cool.

KEYWORDS: *Cucumber, Peronosporosis, Disease, Damage, Disease Development, Chemical Control, Fungicide, Biological Effectiveness.*

REFERENCES

1. Call A.D., Criswell A.D., Wehner T.C., Klosinska U., Kozik E.U. Screening cucumber for resistance to downy mildew caused by *Pseudoperonosporacubensis* (Berk. and Curt.) Rostov. // Crop Science. – 2012.– vol. 52. – pp.577-592. doi: 10.2135/cropsci2011.06.0296.
2. Cohen Y., Van den Landenberg K.M., Wehner T.C., Ojiambo P.S., Hausbeck M., Quesada-Ocampo L.M., Lebeda A., Sierotzki H., Gisi U. Resurgence of *Pseudoperonosporacubensis*: the causal agent of cucurbit downy mildew. // Phytopathology. – 2015. – vol. 105. – №7. –pp.998-1012. <http://dx.doi.org/10.1094/PHYTO-11-14-0334-FI>.
3. Cucurbits, In: Cucurbits under protected cultivation. EPPO Bull. – 2004.– vol. 34.– №1. – pp.91-100. <https://doi.org/10.1111/j.1365-2338.2004.00702.x>.
4. Holmes G.H., Ojiambo P.S., Hausbeck M.K., Quesada-Ocampo L., Keinath A.P. Resurgence of cucurbit downy mildew in the United States: a watershed event for research and extension. // Plant Disease. – 2015. – vol. 99. – №4. – pp.428-441.
5. Howard R.J., Garland J.A., Seaman W.L. (Eds.). Vegetable crops diseases and pests in Canada. – 2015. 221-pp. <https://phytopath.ca/wp-content/uploads/2015/03/DPVCC-Chapter-9-cucurbits.pdf>.
6. Kurowski C., Conn K., Lutton J., Rodenberger S. (eds.). Cucurbit diseases field guide, Seminis. De Ruiter. – 2015. 121-pp.
7. Lebeda A., Cohen Y. Cucurbit downy mildew (*Pseudoperonosporacubensis*) – biology, ecology, epidemiology, host-pathogeninteraction and control.// Eur. J. Plant Pathol. – 2011. – vol. 129. – pp.157-192. DOI 10.1007/s10658-010-9658-1.
8. Mabbett, T.H. and Phelps, R.H. 1984. Effect of leaf growth in cucumber on deposit dilution and the control of angular leaf spot. Tropical Pest Management 30: pp. 444-449.
9. Meya A.I., Mamiro D.P. and Kusolwa P. Response of late blight disease resistant variety to common occurring tomato diseases in the field. // Asian Journal of Plant Science Research. – 2015. – №3. – pp.8-15.
10. Thomas A. Biology, epidemiology and population genomics of *Pseudoperonosporacubensis*, the causal agent of cucurbit downy mildew. PhD Thesis. – USA, Raleigh, North Carolina, 2016. 212-pp.
11. Thomas A. Biology, epidemiology and population genomics of *Pseudoperonosporacubensis*, the causal agent of cucurbit downy mildew. PhD Thesis. – USA, Raleigh, North Carolina, 2016. 212-pp.
12. Вянгеляускайте А.П., Жуклене Р.М., Жуклис Л.П., Пилецкис С.А., Ряпшене Д.К. Вредители и болезни овощных культур. – М.: “Агропромиздат”, 1989. 464 с.
13. Кокоулина Е.М. Оптимизация системы защиты огурца от комплекса грибных болезней в теплицах Предуралья. Дис. канд. с.-х. наук. – Санкт-Петербург, 2009. 130 с.
14. Пересыпкин В.Ф. Сельскохозяйственная фитопатология. Учебник для вузов по специальности «Защита растений». – М.: «ВО Агропромиздат», 1989. 480 с.

15. Ходжаев Ш.Т. Инсектицид, акарицид, биологик фаол моддалар ва фунгицидларни синаш бўйича услубий кўрсатмалар. – Тошкент, 2004.– Б.83.
16. Хохряков М.К., Потлайчук В.И., Семенов А.Я., Элбакян М.А. Определитель болезней сельскохозяйственных культур. – Л.:Колос, 1984. 304 с.